

PROJOY 交流开关产品命名规则

PEAS69-**abx-c-y**

a=PM stands for Front panel mount AC Isolator; a=DC stands for Base mount door interlock AC Isolator; a=DM stands for Direct handle base mounted AC Isolator; a=HM stands single hole mounting AC Isolator; a=EL stands for enclose AC Isolator;

b=20,25,32,40,63,80,100,125,160 : stands for Ith;

c=3 or 4 stands for 3 pole or 4 pole;


when a=PM,DC,DM,X=blank or R,y=Ry48 Direct red/yellow 48mm handle, y=Ry64 Direct red/yellow 64mm handle,y=B48 Direct black 48mm handle, y=B64 Direct black 64mm handle;

when a=HM, x=blank or R, y=blank;

when a=EL, x=R and y =blank;


一、 面板安装型交流开关

PEAS69-PM20-3-RY48




二、 门锁安装型交流开关

PEAS69-DC20-3-B48



三、 配电模块型交流开关

PEAS69-DM20-3- RY64




四、 单孔安装型交流开关

PEAS69-HM20-3



五、 外置交流开关

PEAS69-EL20R-3



附录 (产品型号):

分类	型号
面板安装型交流开关	PEAS69-PM20-3-RY48/RY64/B48/B64
	PEAS69-PM25-3-RY48/RY64/B48/B64
	PEAS69-PM32-3-RY48/RY64/B48/B64
	PEAS69-PM40-3-RY48/RY64/B48/B64
	PEAS69-PM63-3-RY48/RY64/B48/B64
	PEAS69-PM80-3-RY48/RY64/B48/B64
	PEAS69-PM100-3-RY48/RY64/B48/B64
	PEAS69-PM125-3-RY48/RY64/B48/B64
	PEAS69-PM160-3-RY48/RY64/B48/B64
	PEAS69-PM20-4-RY48/RY64/B48/B64
	PEAS69-PM25-4-RY48/RY64/B48/B64
	PEAS69-PM32-4-RY48/RY64/B48/B64
	PEAS69-PM40-4-RY48/RY64/B48/B64
	PEAS69-PM63-4-RY48/RY64/B48/B64
	PEAS69-PM80-4-RY48/RY64/B48/B64
	PEAS69-PM100-4-RY48/RY64/B48/B64
	PEAS69-PM125-4-RY48/RY64/B48/B64
	PEAS69-PM160-4-RY48/RY64/B48/B64
门锁安装型交流开关	PEAS69-DC20-3-RY48/RY64/B48/B64
	PEAS69-DC25-3-RY48/RY64/B48/B64
	PEAS69-DC32-3-RY48/RY64/B48/B64
	PEAS69-DC40-3-RY48/RY64/B48/B64
	PEAS69-DC63-3-RY48/RY64/B48/B64
	PEAS69-DC80-3-RY48/RY64/B48/B64
	PEAS69-DC100-3-RY48/RY64/B48/B64
	PEAS69-DC125-3-RY48/RY64/B48/B64
	PEAS69-DC160-3-RY48/RY64/B48/B64
	PEAS69-DC20-4-RY48/RY64/B48/B64
	PEAS69-DC25-4-RY48/RY64/B48/B64
	PEAS69-DC32-4-RY48/RY64/B48/B64
PEAS69-DC40-4-RY48/RY64/B48/B64	

	PEAS69-DC63-4-RY48/RY64/B48/B64	
	PEAS69-DC80-4-RY48/RY64/B48/B64	
	PEAS69-DC100-4-RY48/RY64/B48/B64	
	PEAS69-DC125-4-RY48/RY64/B48/B64	
	PEAS69-DC160-4-RY48/RY64/B48/B64	
配电模块型交流开关	PEAS69-DM20-3-RY48/RY64/B48/B64	
	PEAS69-DM25-3-RY48/RY64/B48/B64	
	PEAS69-DM32-3-RY48/RY64/B48/B64	
	PEAS69-DM40-3-RY48/RY64/B48/B64	
	PEAS69-DM63-3-RY48/RY64/B48/B64	
	PEAS69-DM80-3-RY48/RY64/B48/B64	
	PEAS69-DM100-3-RY48/RY64/B48/B64	
	PEAS69-DM125-3-RY48/RY64/B48/B64	
	PEAS69-DM160-3-RY48/RY64/B48/B64	
	PEAS69-DM20-4-RY48/RY64/B48/B64	
	PEAS69-DM25-4-RY48/RY64/B48/B64	
	PEAS69-DM32-4-RY48/RY64/B48/B64	
	PEAS69-DM40-4-RY48/RY64/B48/B64	
	PEAS69-DM63-4-RY48/RY64/B48/B64	
	PEAS69-DM80-4-RY48/RY64/B48/B64	
	PEAS69-DM100-4-RY48/RY64/B48/B64	
	PEAS69-DM125-4-RY48/RY64/B48/B64	
	PEAS69-DM160-4-RY48/RY64/B48/B64	
	单孔安装型交流开关	PEAS69-HM20-3
		PEAS69-HM25-3
PEAS69-HM32-3		
PEAS69-HM40-3		
PEAS69-HM63-3		
PEAS69-HM80-3		
PEAS69-HM100-3		
PEAS69-HM125-3		
PEAS69-HM160-3		
PEAS69-HM20-4		
PEAS69-HM25-4		
PEAS69-HM32-4		

	PEAS69-HM40-4
	PEAS69-HM63-4
	PEAS69-HM80-4
	PEAS69-HM100-4
	PEAS69-HM125-4
	PEAS69-HM160-4
外置交流开关	PEAS69-EL20R-3
	PEAS69-EL25R-3
	PEAS69-EL32R-3
	PEAS69-EL40R-3
	PEAS69-EL63R-3
	PEAS69-EL80R-3
	PEAS69-EL100R-3
	PEAS69-EL125R-3
	PEAS69-EL160R-3
	PEAS69-EL20R-4
	PEAS69-EL25R-4
	PEAS69-EL32R-4
	PEAS69-EL40R-4
	PEAS69-EL63R-4
	PEAS69-EL80R-4
	PEAS69-EL100R-4
	PEAS69-EL125R-4
	PEAS69-EL160R-4