

## PROJOY PRODUCTS MODEL REFERENCE

### PEAS69-**abx-c-y**

**a**=PM stands for Front panel mount AC Isolator; **a**=DC stands for Base mount door interlock AC Isolator; **a**=DM stands for Direct handle base mounted AC Isolator; **a**=HM stands single hole mounting AC Isolator; **a**=EL stands for enclose AC Isolator;

**b**=20,25,32,40,63,80,100,125,160 : stands for Ith;

**c**=3 or 4 stands for 3 pole or 4 pole;


when **a**=PM,DC,DM,**x**=blank or R,**y**=RY48 Direct red/yellow 48mm handle, **y**=RY64 Direct red/yellow 64mm handle,**y**=B48 Direct black 48mm handle, **y**=B64 Direct black 64mm handle;

when **a**=HM,**x**=blank or R,**y**=blank;

when **a**=EL, **x**=R and **y** =blank;


### 一、 Front panel mount AC Isolator

#### PEAS69-PM20-3-RY48




## 二、 Base mount door interlock AC Isolator

### PEAS69-DC20-3-B48




## 三、 Direct handle base mounted AC Isolator

### PEAS69-DM20-3- RY64




#### 四、 Single Hole Mounting AC Isolator

### PEAS69-HM20-3



#### 五、 Enclosed AC Isolator

### PEAS69-EL20R-3



## Appendix (Product List):

Main Category	Types
<b>Front panel mount AC Isolator</b>	PEAS69-PM20-3-RY48/RY64/B48/B64
	PEAS69-PM25-3-RY48/RY64/B48/B64
	PEAS69-PM32-3-RY48/RY64/B48/B64
	PEAS69-PM40-3-RY48/RY64/B48/B64
	PEAS69-PM63-3-RY48/RY64/B48/B64
	PEAS69-PM80-3-RY48/RY64/B48/B64
	PEAS69-PM100-3-RY48/RY64/B48/B64
	PEAS69-PM125-3-RY48/RY64/B48/B64
	PEAS69-PM160-3-RY48/RY64/B48/B64
	PEAS69-PM20-4-RY48/RY64/B48/B64
	PEAS69-PM25-4-RY48/RY64/B48/B64
	PEAS69-PM32-4-RY48/RY64/B48/B64
	PEAS69-PM40-4-RY48/RY64/B48/B64
	PEAS69-PM63-4-RY48/RY64/B48/B64
	PEAS69-PM80-4-RY48/RY64/B48/B64
	PEAS69-PM100-4-RY48/RY64/B48/B64
	PEAS69-PM125-4-RY48/RY64/B48/B64
	PEAS69-PM160-4-RY48/RY64/B48/B64
<b>Base mount door interlock AC Isolator</b>	PEAS69-DC20-3-RY48/RY64/B48/B64
	PEAS69-DC25-3-RY48/RY64/B48/B64
	PEAS69-DC32-3-RY48/RY64/B48/B64
	PEAS69-DC40-3-RY48/RY64/B48/B64
	PEAS69-DC63-3-RY48/RY64/B48/B64
	PEAS69-DC80-3-RY48/RY64/B48/B64
	PEAS69-DC100-3-RY48/RY64/B48/B64
	PEAS69-DC125-3-RY48/RY64/B48/B64
	PEAS69-DC160-3-RY48/RY64/B48/B64
	PEAS69-DC20-4-RY48/RY64/B48/B64
	PEAS69-DC25-4-RY48/RY64/B48/B64
	PEAS69-DC32-4-RY48/RY64/B48/B64
PEAS69-DC40-4-RY48/RY64/B48/B64	

	PEAS69-DC63-4-RY48/RY64/B48/B64	
	PEAS69-DC80-4-RY48/RY64/B48/B64	
	PEAS69-DC100-4-RY48/RY64/B48/B64	
	PEAS69-DC125-4-RY48/RY64/B48/B64	
	PEAS69-DC160-4-RY48/RY64/B48/B64	
<b>Direct handle base mounted AC Isolator</b>	PEAS69-DM20-3-RY48/RY64/B48/B64	
	PEAS69-DM25-3-RY48/RY64/B48/B64	
	PEAS69-DM32-3-RY48/RY64/B48/B64	
	PEAS69-DM40-3-RY48/RY64/B48/B64	
	PEAS69-DM63-3-RY48/RY64/B48/B64	
	PEAS69-DM80-3-RY48/RY64/B48/B64	
	PEAS69-DM100-3-RY48/RY64/B48/B64	
	PEAS69-DM125-3-RY48/RY64/B48/B64	
	PEAS69-DM160-3-RY48/RY64/B48/B64	
	PEAS69-DM20-4-RY48/RY64/B48/B64	
	PEAS69-DM25-4-RY48/RY64/B48/B64	
	PEAS69-DM32-4-RY48/RY64/B48/B64	
	PEAS69-DM40-4-RY48/RY64/B48/B64	
	PEAS69-DM63-4-RY48/RY64/B48/B64	
	PEAS69-DM80-4-RY48/RY64/B48/B64	
	PEAS69-DM100-4-RY48/RY64/B48/B64	
	PEAS69-DM125-4-RY48/RY64/B48/B64	
	PEAS69-DM160-4-RY48/RY64/B48/B64	
	<b>Single Hole Mounting AC Isolator</b>	PEAS69-HM20-3
		PEAS69-HM25-3
PEAS69-HM32-3		
PEAS69-HM40-3		
PEAS69-HM63-3		
PEAS69-HM80-3		
PEAS69-HM100-3		
PEAS69-HM125-3		
PEAS69-HM160-3		
PEAS69-HM20-4		
PEAS69-HM25-4		
PEAS69-HM32-4		

	PEAS69-HM40-4
	PEAS69-HM63-4
	PEAS69-HM80-4
	PEAS69-HM100-4
	PEAS69-HM125-4
	PEAS69-HM160-4
<b>Enclosed AC Isolator</b>	PEAS69-EL20R-3
	PEAS69-EL25R-3
	PEAS69-EL32R-3
	PEAS69-EL40R-3
	PEAS69-EL63R-3
	PEAS69-EL80R-3
	PEAS69-EL100R-3
	PEAS69-EL125R-3
	PEAS69-EL160R-3
	PEAS69-EL20R-4
	PEAS69-EL25R-4
	PEAS69-EL32R-4
	PEAS69-EL40R-4
	PEAS69-EL63R-4
	PEAS69-EL80R-4
	PEAS69-EL100R-4
	PEAS69-EL125R-4
	PEAS69-EL160R-4