

DECLARATION OF CONFORMITY

Applicant: ProJoy Electric Co., Ltd.

Address of applicant: No. 2266, Taiyang Road, Xiangcheng District, Suzhou, China

Manufacturer: Jiangsu Projoy Electric Co., LTD
No. 2266, Taiyang Road, Xiangcheng District, Suzhou, China

Product Description: AC Isolators

Model No.: PEAS69、PEAS69N、PEAS50

Rating: See annex

Sufficient samples of the product have been tested and found to be in conformity with

Test Standard: BS EN IEC 60947-3:2021

As shown in the


Test Report Number(s): TLJS22110742261

Date of issue: November 22, 2022

Date of expiry: November 21, 2027

This declaration applies to all specimens manufactured identical to the model submitted for testing/evaluation, in reference to the above listed standard(s) and the Electrical Equipment (Safety) Regulations 2016. The UK Conformity Assessed marking can be affixed on the product(s) accordingly to the Great Britain regulation about its release and its use. This declaration doesn't imply assessment of the production of the product(s). The UK Conformity Assessed marking shown below can only be used under the responsibility of the manufacturer with the completion of declaration of conformity for all the relevant Directives. Shanghai Global Testing Services Co., Ltd hereby acknowledges that the manufacturer that issued a DOC may apply the UKCA marking in accordance with United Kingdom Union Rules.

Approved by: Hermann Weiher



For and on behalf of
Global Testing Services Co., Ltd



Global Testing Services Co., Ltd
E-mail: info@gts-lab.com <http://www.gts-lab.com>
Floor 2nd, Building D-1, No. 128, Shenfu Road, Minhang District, Shanghai, China.

Copyright of this certificate is owned by Global Testing Services Co., Ltd and may not be reproduced other than in full and with the prior approval of the General Manager.

DECLARATION OF CONFORMITY

PEAS69-abx-c-y

a=PM,DC,LK,EL;

b=20A,32A,40A,63A,80A;

x=Blank,R;

c=3P,4P;

y=RY48,RY64,B48,B64;

Ui=690V;Ue=240V,440V;Uimp=8kV;Load type=AC-23A/AC-3;

PEAS69N-abx-c-y

a=PM,DC,LK,EL;

b=16,20A,25A,32A,40A,63A,80A,100A,125A;

x=Blank,R;

c=3P,4P;

y=RY48,RY64,B48,B64;

Ui=690V;Ue=240V,440V;Uimp=8kV;Load type=AC-23A/AC-3


PEAS50-ELa-b

a=20A,35A,63A;

b=1N,2N,3N;

Ui=500V;Ue=250V,440V;Uimp=4kV;Load type=AC-22

Approved by: Hermann Weiher



**UK
CA**

For and on behalf of
Global Testing Services Co., Ltd

Global Testing Services Co., Ltd

E-mail:info@gts-lab.com <http://www.gts-lab.com>

Floor 2nd, Building D-1, No. 128, Shenfu Road, Minhang District, Shanghai, China.



Copyright of this certificate is owned by Global Testing Services Co., Ltd and may not be reproduced other than in full and with the prior approval of the General Manager.